Eugene Location

Phone: 5413425317 29512 Airport Rd Eugene, OR

Email: info@cascadetruckbody.com



Curt 21k 10" Drop Adjustable Hitch for 3" Receiver #45928

Stock#: 245528	8	Year: 2022	Manufacturer: CURT	
Axle Capacity:	0.00			
URL: https://cascadetruckbody.com/curt-21k-10-drop-adjustable-hitch-for-3-receiver-45928-zATn.html				
	Price			\$454.95

Description

Curt 21k 10" Drop Adjustable Hitch for 3" Receiver #45928

Please be advised the pictures shown may not reflect actual product or prices listed in this ad

What if there was a hitch ball mount that eliminated the need for all other ball mounts? Whichever trailer you wanted to tow, this universal ball mount could be adapted to fit the job. Imagine never having to buy another ball mount for your hitch ever again. Sound too good to be true? With the CURT adjustable channel mount, that's exactly what you get. The adjustable channel mount is a highly versatile hitch ball mount option. It features a standard receiver hitch shank, a multi-level channel and a standardized trailer ball attachment, allowing you to easily tow various types of trailer without requiring you to keep an arsenal of ball mounts on hand. It also features a highly durable construction built to withstand the elements, and built-in anti-rattle features for smooth, quiet towing.

The dual-ball head of this channel mount offers versatile towing options. It features standard 2" and 2-5/16" diameter trailer balls to fit two different size trailer couplers. The entire head securely attaches to the adjustable shank using the included hitch pins and clips, and these hitch pins can also be replaced with a hitch lock set for additional security. This adjustable channel mount comes with a 3" shank to fit any 3" x 3" receiver hitch. The shank features rounded edges for easier insertion, and it has two hitch pin holes to adjust the length of the ball mount from 11" to 12". This provides extra clearance, as needed, for the rear bumper, a spare tire or other obstructions.

The channel mount is set with a series of vertical holes to mount the included dual-ball. The holes are spaced 1" apart, allowing the ball mount to perfectly suit the trailer for smooth, stable towing. This deep drop channel mount offers a maximum drop of 10-5/8", and it can also flipped for a maximum rise of 8-5/8".

For safety you can be confident in, each CURT adjustable channel mount design undergoes strict testing procedures. This model is constructed from high-strength forged steel and rated for a maximum gross trailer weight capacity of 10,000 lbs. for the 2" ball and 21,000 lbs. for the 2-5/16" ball. This makes it an excellent choice for livestock haulers, large flatbed trailers, deluxe travel trailers and much more (never exceed the weight ratings of the lowest-rated towing component).

CURT adjustable channel ball mounts are not only built for tough jobs, but they are also engineered to offer smooth,

quiet towing. Built into the adjustable shank is an anti-rattle mechanism -- a rubber bumper that goes between the shank channel and the trailer ball attachment. This anti-rattle bumper greatly reduces vibrations and noise coming from the coupling point, providing a smoother, quieter ride for the road ahead.

In the world of heavy-duty towing, harsh conditions and relentless exposure to the elements aren't uncommon. For this reason, the adjustable channel mount is finished with a highly durable carbide black powder coat finish. This helps withstand rain, snow, dirt and road salt, protecting the shank from rust and corrosion. The dual-ball is given a yellow zinc finish for additional rust resistance.

Mounts on trailer hitches with a 3" x 3" receiver tube opening Adjustable channel mount allows for precise trailer leveling Shank can be flipped for a max rise of 8-5/8" and drop of 10-5/8" 2" ball rated for 10,000 lbs. and 2-5/16" ball rated for 21,000 lbs. Two hitch pin holes provide shank lengths of 11" or 12" Built-in anti-rattle helps promote quiet towing Protected by a highly durable carbide powder coat finish

****Cascade Truck and Trailer Sales carries the Best Brands and Quality Service. ****

Cascade Truck Body and Trailer Sales stocks enclosed, utility, dump bed and flatbed trailers. If we don't have the exact trailer, you are looking for in stock, Cascade can assist you in building a competitively priced customized trailer while maintaining the highest quality of products. Call our sales staff for a friendly no pressure quote.

Cascade Truck Body and Trailer Sales is an authorized factory dealer for Big Tex, Forest River Cargo Mate, Aluma, ATC, Eagle, H&H Trailers, Futura Trailers, Stehl and Olympus Trailers. Give us a call for any of your truck or trailer needs. We appreciate your business.

Cascade Truck Body and Trailer Sales 29512 Airport Road Eugene, OR 97402

DA 3507

Open: Monday-Friday 8am-5pm Saturday 9am-3pm

www.cascadetruckbody.com Call Us At: (541) 342-5317

Cascade Truck Body and Trailer Sales

64601 Bailey Road Bend, OR 97703

Open: Monday-Friday 8am-5pm

DA 3507

www.cascadetruckbody.com Call Us At: (541) 389-9849

Cascade Truck Body and Trailer Sales

4835 Portland Rd NE Salem, OR 97305

Open: Monday-Friday 8am-5pm

DA 3507

www.cascadetruckbody.com Call Us At: (503)385-1447

** NOTICE: Please be advised the pictures shown may not reflect actual product or prices listed in this ad. These pictures are of several styles and sizes of trailers with and without extra options. Please contact Cascade Truck Body & Trailer Sales at (541)342-5317 with any questions you may have.

**Disclaimer: All inventory, prices, and configurations are subject to prior sale and availability. Prices exclude tax, title,

tags, governmental fees, and any finance charges (if applicable). Unless otherwise stated separately in the trailer details, price does not include processing, administrative, closing or similar fees. All specifications and measurements are subject to change. Prices are subject to change without notice! Please contact Cascade Truck Body & Trailer Sales at (541)342-5317 for current pricing! Trailer dimensions, weights, and measurements will vary due to manufacturing and production changes. Please verify actual measurements of any unit prior to purchase.